



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/803,801	03/12/2001	Khalil Camille Haddad	1	8591

7590 06/28/2005

Ryan, Mason & Lewis, LLP
Suite 205
1300 Post Road
Fairfield, CT 06430

EXAMINER

PERILLA, JASON M

ART UNIT PAPER NUMBER

2638

DATE MAILED: 06/28/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/803,801

Applicant(s)

HADDAD, KHALIL CAMILLE

Examiner

Jason M. Perilla

Art Unit

2638

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 21 April 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-8, 10-16, 18-26 and 28 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-8, 10-16, 18-26 and 28 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 12 March 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Claims 1-8, 10-16, 18-26 and 28 are pending in the instant application.

Response to Amendment/Argument

2. The Applicant's arguments filed April 21, 2005 against the rejections under 35 U.S.C. § 112, second paragraph, set forth in the office action dated January 19, 2005 have been considered, and they are persuasive. Accordingly, the rejections have been withdrawn.

3. The Applicant's arguments filed April 21, 2005 against the prior art rejections including at least Kapoor (US 6396886) have been considered, but they are not persuasive. The Applicant contests that the prior art reference Kapoor does not disclose sets of constraints in both the time and frequency domains. The Applicant states that Kapoor places constraints in the time domain only and solves for only the time domain constraints. However, the Examiner insists that Kapoor does indeed disclose both time domain and frequency domain constraints. Kapoor discloses determining filter coefficient values such that (col. 4, lines 4-13):

- (a) energy of an effective impulse response $h_{\text{eff}}(n)$ of at least the communications channel combined with the time-domain equalizer is substantially concentrated in a second band of $V+1$ samples, whereby the second band of samples is shorter than the first band of samples; and
- (b) a variance in a frequency spectrum of the output additive noise signal of the time-domain equalizer is controlled.

That is, the set of time domain constraints is established to concentrate an effective impulse response within a band of samples (i.e. a shortening impulse response filter), and the set of frequency domain constraints is established to control a variance in a

Art Unit: 2638

frequency spectrum of the noise output by the filter. As broadly as claimed, the set of constraints that the filter must satisfy in the frequency domain is disclosed by Kapoor via the controlling of the frequency spectrum or domain according to the filter coefficients. Both the time domain and frequency domain characteristics of the output of the filter of Kapoor are considered during the determination of the filter's coefficients.

The Examiner asserts that none of the additional prior art references relied upon need to disclose frequency domain sets because they are already disclosed by Kapoor.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1, 4-6, 10, 11, 14-6, and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kapoor (US 6396886 – previously cited) in view of Haddad et al (“Design of Digital Linear-Phase FIR Crossover Systems of Loudspeakers by the Method of Vector Space Projections”, Haddad, Khalil C. et al; hereafter “Haddad” – previously cited).

Regarding claim 1, Kapoor discloses a method for determining coefficient values for a shortening impulse response filter (SIRF) (fig. 1; col. 4, lines 18-30), said method comprising the steps of: establishing at least one set of defining constraints that said SIRF filter must satisfy in a time domain (col. 4, lines 4-10; col. 6, lines 50-57); establishing at least one set of defining constraints that said SIRF filter must satisfy in a

Art Unit: 2638

frequency domain (col. 4, lines 10-13; col. 6, lines 58-63); and determining an intersecting set of said at least one set of defining constraints that said SIRF filter must satisfy in the time domain and said at least one set of defining constraints that said SIRF filter must satisfy in the frequency domain. By the method of Kapoor, it is necessary that an intersecting set of the time domain constraints and the frequency domain constraints is determined because the method for determining coefficient values of Kapoor accounts for both the time domain constraints as well as the frequency domain constraints. That is, the intersecting set of the time domain and frequency domain constraints consists of a set wherein both time and frequency domain constraints are taken into account as disclosed by Kapoor. Kapoor does not disclose the use of a vector space projection method to determine the intersecting set. However, the method of vector space projection is already well known as published and taught by Haddad (pg. 3059, col. 2). Haddad teaches a method to solve a mathematical problem encompassing multiple constraints by vector space projection (page 3059, lines 10-16). Haddad et al further teaches that the desired result of the method of using VSPM is the "solution set" or the set that satisfies all the constraints (page 3059, lines 38-42; fig. 2) and that the VSPM method has significant flexibility in that any number of constraints may be incorporated (page 3063, lines 8-11). Therefore, the use of VSPM in the multiple constraint condition (time and frequency) generation of filter coefficients disclosed by Kapoor is advantageous because it is an exemplary method to solve for the "solution set" of coefficients which satisfy both the time and frequency domain conditions and it may be applied with any number of constraints. Therefore, it would

Art Unit: 2638

have been obvious to one having ordinary skill in the art to utilize vector space projection as taught by Haddad in the method of Kapoor because it allows constraint flexibility and can be advantageously used to solve the mathematical problem of multiple constraints.

Regarding claim 4, Kapoor in view of Haddad disclose the limitations of claim 1 as applied above. Further, Kapoor discloses that the time domain constraints specify a shortening of a channel impulse response (col. 2, lines 31-40; col. 4, lines 4-9).

Regarding claim 5, Kapoor in view of Haddad disclose the limitations of claim 1 as applied above. Further, Haddad discloses that the frequency domain constraints include a frequency response for the SIRF filter that does not attenuate a received signal (fig. 3). Figure 3 of Haddad illustrates frequency domain attenuation regions for various filters which do not attenuate a received signal because they have a flat magnitude response.

Regarding claim 6, Kapoor in view of Haddad disclose the limitations of claim 1 as applied above. Further, Haddad discloses that the frequency domain constraints include a pass-band for said SIRF filter (fig. 3.). Figure 3 of Haddad illustrates frequency domain attenuation regions for various filters which include pass-band regions because they have a flat magnitude response or pass-band over a range of frequencies.

Regarding claim 10, Kapoor in view of Haddad disclose the limitations of claim 1 as applied above. Further, Haddad discloses that the VSPM method is iteratively

applied between the time and frequency domain constraints until the sets converge (fig. 2).

Regarding claim 11, Kapoor discloses a shortening impulse response filter (SIRF), comprising: a set of finite impulse response (FIR) coefficients (col. 4, lines 17-19) satisfying at least one constraint in a time domain (col. 4, lines 4-10; col. 6, lines 50-57) and at least one constraint in a frequency domain (col. 4, lines 10-13; col. 6, lines 58-63), wherein said at least one time domain constraint is represented as at least one first set and wherein said at least one frequency domain constraint is represented as at least one second set (col. 4, lines 4-13), wherein said finite impulse response (FIR) coefficients are determined by an intersecting set of said at least one first set defining said time domain constraints and said at least one second set defining said frequency domain constraints. As broadly as claimed, the constraints are represented by a "set" and an intersecting set of the time domain constraints and the frequency domain constraints is determined because the method for determining coefficient values of Kapoor accounts for both the time domain constraints as well as frequency domain constraints. Kapoor does not disclose the use of a vector space projection method to determine the intersecting set. However, the method of vector space projection is already well known as published and taught by Haddad (pg. 3059, col. 2). Haddad teaches a method to solve a mathematical problem encompassing multiple constraints by vector space projection (page 3059, lines 10-16). Haddad et al further teaches that the desired result of the method of using VSPM is the "solution set" or the set that satisfies all the constraints (page 3059, lines 38-42; fig. 2) and that the VSPM method

Art Unit: 2638

has significant flexibility in that any number of constraints may be incorporated (page 3063, lines 8-11). Therefore, the use of VSPM in the multiple constraint condition (time and frequency) generation of filter coefficients disclosed by Kapoor is advantageous because it is an exemplary method to solve for the "solution set" of coefficients which satisfy both the time and frequency domain conditions and it may be applied with any number of constraints. Therefore, it would have been obvious to one having ordinary skill in the art to utilize vector space projection as taught by Haddad in the method of Kapoor because it allows constraint flexibility and can be advantageously used to solve the mathematical problem of multiple constraints.

Regarding claim 14, Kapoor in view of Haddad discloses the limitations of claim 1 as applied above. Further, Kapoor discloses that the time domain constraints specify a shortening of a channel impulse response (col. 2, lines 31-40; col. 4, lines 4-9).

Regarding claim 15, Kapoor in view of Haddad disclose the limitations of claim 11 as applied above. Further, Haddad discloses that the frequency domain constraints include a frequency response for the SIRF filter that does not attenuate a received signal (fig. 3). Figure 3 of Haddad illustrates frequency domain attenuation regions for various filters which do not attenuate a received signal because they have a flat magnitude response.

Regarding claim 16, Kapoor in view of Haddad disclose the limitations of claim 11 as applied above. Further, Haddad discloses that the frequency domain constraints include a pass-band for said SIRF filter (fig. 3.). Figure 3 of Haddad illustrates frequency domain attenuation regions for various filters which include pass-band

regions because they have a flat magnitude response or pass-band over a range of frequencies.

Regarding claim 18, Kapoor in view of Haddad disclose the limitations of claim 11 as applied above. Further, Haddad discloses that the VSPM method is iteratively applied between the time and frequency domain constraints until the sets converge (fig. 2).

6. Claims 2 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kapoor in view of Haddad, and in further view of Shinde (US 6192386).

Regarding claim 2, Kapoor in view of Haddad disclose the limitations of claim 1 as applied above. Kapoor in view of Haddad does not disclose that the at least one set defining constraints that said SIRF filter must satisfy in a the time domain define a filter having a linear phase response. However, Shinde teaches an analogous digital finite impulse response (FIR) filter (abstract). Shinde also teaches that an advantage of a linear filter is that it does not produce any phase distortion with respect to the input (col. 7, line 64-col. 8, line 8). One skilled in the art is familiar with the design of digital filters and how to design both linear and non-linear phase filters with respect to any chosen design constraint. It is common that the design constraints alone may define the filter to have a linear or non-linear phase output with respect to the input. Therefore, it would have been obvious to one having ordinary skill in the art at the time which the invention was made to set defining constraints that the SIRF filter must satisfy to define a filter having a linear phase as taught by Shinde in the method of Kapoor in view of Haddad because such methods are commonly known in the art, and the linear phase

Art Unit: 2638

characteristic of the filter would not produce distortion in phase across various frequencies.

Regarding claim 12, Kapoor in view of Haddad disclose the limitations of claim 11 as applied above. Kapoor in view of Haddad does not disclose that the at least one set defining constraints that said SIRF filter must satisfy in a time domain define a filter having a linear phase response. However, Shinde teaches an analogous digital finite impulse response (FIR) filter (abstract). Shinde also teaches that an advantage of a linear filter is that it does not produce any phase distortion with respect to the input (col. 7, line 64-col. 8, line 8). One skilled in the art is familiar with the design of digital filters and how to design both linear and non-linear phase filters with respect to any chosen design constraint. It is common that the design constraints alone may define the filter to have a linear or non-linear phase output with respect to the input. Therefore, it would have been obvious to one having ordinary skill in the art at the time which the invention was made to set defining constraints that the SIRF filter must satisfy to define a filter having a linear phase as taught by Shinde in the method of Kapoor in view of Haddad because such methods are commonly known in the art, and the linear phase characteristic of the filter would not produce distortion in phase across various frequencies.

7. Claims 19, 22-24 and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kapoor in view of Haddad, and in further view of Gandhi et al (US 6112218; hereafter "Ghandi" – previously cited).

Regarding claim 19, Kapoor in view of Haddad discloses a method for determining coefficient values for a shortening impulse response filter (SIRF) as applied to claim 1 above. Although digital signal processors (DSP) executing instructions stored on memory communicatively coupled to them are notoriously known for implementing inventions which process digital information, Kapoor in view of Haddad does not disclose the use of one. However, Gandhi does teach the use of a DSP and a memory for implementing a filter (abstract; col. 18, lines 28-35). Therefore, it would have been obvious to one having ordinary skill in the art at the time which the invention was made to utilize a memory and a DSP as taught by Gandhi in the method of Kapoor in view of Haddad because it provides an exceptionally flexible means to implement the filter.

Regarding claim 22, Kapoor in view of Haddad, and in further view of Gandhi disclose the limitations of claim 19 as applied above. Further, Kapoor discloses that the time domain constraints specify a shortening of a channel impulse response (col. 2, lines 31-40; col. 4, lines 4-9).

Regarding claim 23, Kapoor in view of Haddad, and in further view of Gandhi disclose the limitations of claim 19 as applied above. Further, Haddad discloses that the frequency domain constraints include a frequency response for the SIRF filter that does not attenuate a received signal (fig. 3). Figure 3 of Haddad illustrates frequency domain attenuation regions for various filters which do not attenuate a received signal because they have a flat magnitude response.

Regarding claim 24, Kapoor in view of Haddad, and in further view of Gandhi disclose the limitations of claim 19 as applied above. Further, Haddad discloses that

the frequency domain constraints include a pass-band for said SIRF filter (fig. 3.).

Figure 3 of Haddad illustrates frequency domain attenuation regions for various filters which include pass-band regions because they have a flat magnitude response or pass-band over a range of frequencies.

Regarding claim 28, Kapoor in view of Haddad, and in further view of Gandhi disclose the limitations of claim 19 as applied above. Further, Haddad discloses that the VSPM method is iteratively applied between the time and frequency domain constraints until the sets converge (fig. 2).

8. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kapoor in view of Haddad, in further view of Ghandi, and in further view of Shinde.

Regarding claim 20, Kapoor in view of Haddad, and in further view of Ghandi disclose the limitations of claim 19 as applied above. Kapoor in view of Ghandi do not disclose that the at least one set defining constraints that said SIRF filter must satisfy in the time domain define a filter having a linear phase. However, Shinde teaches an analogous digital finite impulse response (FIR) filter (abstract). Shinde also teaches that an advantage of a linear filter is that it does not produce any phase distortion with respect to the input (col. 7, line 64-col. 8, line 8). One skilled in the art is familiar with the design of digital filters and how to design both linear and non-linear phase filters with respect to any chosen design constraint. It is common that the design constraints alone may define the filter to have a linear or non-linear phase output with respect to the input. Therefore, it would have been obvious to one having ordinary skill in the art at the time which the invention was made to set defining constraints that the SIRF filter

must satisfy to define a filter having a linear phase as taught by Shinde in the method of Kapoor in view of Haddad because such methods are commonly known in the art, and the linear phase characteristic of the filter would not produce distortion in phase across various frequencies.

* * * * *

9. Claims 1-8, 10-16, and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kapoor in view of Haddad, Khalil C. ("Constrained FIR Filter Design by the Method of Vector Space Projections", Haddad, Khalil C. et al; hereafter "Khalil" – newly cited).

Regarding claim 1, Kapoor discloses a method for determining coefficient values for a shortening impulse response filter (SIRF) (fig. 1; col. 4, lines 18-30), said method comprising the steps of: establishing at least one set defining constraints that said SIRF filter must satisfy in a time domain (col. 4, lines 4-10; col. 6, lines 50-57); establishing at least one set defining constraints that said SIRF filter must satisfy in a frequency domain (col. 4, lines 10-13; col. 6, lines 58-63); and determining an intersecting set of said at least one set of defining constraints that said SIRF filter must satisfy in the time domain and said at least one set of defining constraints that said SIRF filter must satisfy in the frequency domain. By the method of Kapoor, it is necessary that an intersecting set of the time domain constraints and the frequency domain constraints is determined because the method for determining coefficient values of Kapoor accounts for both the time domain constraints as well as the frequency domain constraints. That is, the intersecting set of the time domain and frequency domain constraints consists of a set

wherein both time and frequency domain constraints are taken into account as disclosed by Kapoor. Kapoor discloses the use of an eigenfilter method to determine an intersecting set of the time domain and frequency domain constraints (fig. 4b; col. 5, line 65 – col. 6, line 3) but does not disclose the use of vector space projection methods (VSPM) to determine the intersecting set of the time domain and frequency domain constraints. However, Khalil teaches an exemplary method of utilizing VSPM methods to determine an intersecting set (fig. 1) of more than one group of constraints (fig. 1, refs. C1 and C2; page 715, col. 2, lines 7-12). Khalil further teaches VSPM methods hold advantages over eigenfilter methods (page 714, col. 2, lines 2-27) such as the possible incorporation of linear and non-linear constraints and more efficient optimization (page 715, col. 2, lines 28-41). Therefore, it would have been obvious to one having ordinary skill in the art to utilize the VSPM method for finding a solution set in view of multiple groups of constraints as taught by Khalil in the method of Kapoor because the VSPM method of Khalil could be used to solve for the solution set of coefficients which satisfy both the time and frequency domain constraint conditions while providing the advantages of more flexible constraints as compared to eigenfilter methods.

Regarding claim 2, Kapoor in view of Khalil disclose the limitations of claim 1 as applied above. Further, Khalil discloses defining constraints that the SIRF filter must satisfy in the time domain define a filter having a linear phase response (page 716, col. 1).

Regarding claim 3, Kapoor in view of Khalil disclose the limitations of claim 1 as applied above. Further, Khalil discloses defining constraints that the SIRF filter must satisfy in a frequency domain define a filter having a non-linear phase response (page 719, col. 1).

Regarding claim 4, Kapoor in view of Khalil disclose the limitations of claim 1 as applied above. Further, Kapoor discloses that the time domain constraints specify a shortening of a channel impulse response (col. 2, lines 31-40; col. 4, lines 4-9).

Regarding claim 5, Kapoor in view of Khalil disclose the limitations of claim 1 as applied above. Further, Khalil discloses that the frequency domain constraints include a frequency response for the SIRF filter that does not attenuate a received signal (page 716, col. 1, lines 20-40).

Regarding claim 6, Kapoor in view of Khalil disclose the limitations of claim 1 as applied above. Further, Khalil discloses that the frequency domain constraints include a pass-band for said SIRF filter (page 716, col. 1, lines 20-40).

Regarding claim 7, Kapoor in view of Khalil disclose the limitations of claim 2 as applied above. Further, Khalil discloses the additional limitations of claim 7 (page 716, col. 1, lines 20-40; col. 2).

Regarding claim 8, Kapoor in view of Khalil disclose the limitations of claim 3 as applied above. Further, Khalil discloses the additional limitations of claim 8 (page 716, col. 1, lines 20-40; col. 2).

Regarding claim 10, Kapoor in view of Khalil disclose the limitations of claim 1 as applied above. Further, Khalil discloses that the VSPM method is iteratively applied to the frequency and time domain constraints until the set converge (fig. 1)

Regarding claims 11-16, and 18, the limitations of the claims are disclosed by Kapoor in view of Khalil as applied respectively to claims 1-6 and 10 above.

10. Claims 19-26, and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kapoor in view of Khalil, and in further view of Gandhi.

Regarding claim 19, Kapoor in view of Khalil discloses a method for determining coefficient values for a shortening impulse response filter (SIRF) as applied to claim 1 above. Although digital signal processors (DSP) executing instructions stored on memory communicatively coupled to them are notoriously known for implementing inventions which process digital information, Kapoor in view of Khalil does not disclose the use of one. However, Ghandi does teach the use of a DSP and a memory for implementing a filter (abstract; col. 18, lines 28-35). Therefore, it would have been obvious to one having ordinary skill in the art at the time which the invention was made to utilize a memory and a DSP as taught by Ghandi in the method of Kapoor in view of Khalil because it provides an exceptionally flexible means to implement the filter.

Regarding claims 20-24, and 28, the limitations of claim 19 are disclosed by Kapoor in view of Khalil, and in further view of Ghandi as applied above. Further, the additional limitations of claims 20-24 and 28 are disclosed by Khalil as applied respectively to claims 2-6 and 10 above.

Regarding claims 25 and 26 the limitations of claims 20 and 21 are disclosed by Kapoor in view of Khalil, and in further view of Ghandi as applied above. Further, the additional limitations of claims 25 and 26 are disclosed by Khalil as applied respectively to claims 7 and 8.

Allowable Subject Matter

11. No claims are allowed.

Conclusion

12. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason M. Perilla whose telephone number is (571) 272-3055. The examiner can normally be reached on M-F 8-5 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vanderpuye Kenneth can be reached on (571) 272-3078. The fax phone

Art Unit: 2638

number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Jason M. Perilla
June 24, 2005

jmp



CHIEH M. FAN
PRIMARY EXAMINER